




***Shower Door Hardware***



## Index

Shower Door Hinges	1~17
Shower Door Mini Hinges & Glass Clamps	18~22
Shower Door Pull Handles	23
Shower Door Towel Bars	24~27
Shower Door Knobs & Finger Pulls	28
Shower Door Polycarbonates	29

## Titan Heavy Duty Shower Hinges Full Backplate



Finishes


<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 39" 140 lbs</p>	<p>2 Hinges 39" 140 lbs</p>
<p>Maximum 2 Hinges</p>	<p>Maximum 2 Hinges</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Two Screw Heads</p>	<p>Two Screw Heads</p>
<p>Accessories</p>	

### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	Finish
MV037CPO	Polished Chrome
MV037BSNO	Brushed Nickel
MV037US10B0	Oil Rubbed Bronze

## Titan Heavy Duty Shower Hinges Full Backplate Wall to Glass



## Contemporary Adjustable Heavy Duty Shower Hinges Offset with Recessed Full Backplate



Finishes


### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.


Product	Adjustable	Finish
MQ2039CP0		Polished Chrome
MQ2039BN0		Brushed Nickel

## Contemporary Adjustable Heavy Duty Shower Hinges Offset with Recessed Full Backplate

<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 34" 100 lbs</p>	<p>2 Hinges 32" 100 lbs</p>
<p>3 Hinges 34" 130 lbs</p>	<p>3 Hinges 32" 130 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Two Screw Heads</p>	<p>Two Screw Heads</p>
<p>Accessories</p>	



## Contemporary Adjustable Heavy Duty Shower Hinges Full Recessed Backplate




### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.


Product	Adjustable	Finish
MQ1037CP0		Polished Chrome
MQ1037BN0		Brushed Nickel

<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 36" 110 lbs</p>	<p>2 Hinges 36" 110 lbs</p>
<p>3 Hinges 36" 140 lbs</p>	<p>3 Hinges 36" 140 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Two Screw Heads</p>	<p>Two Screw Heads</p>
<p>Accessories</p>	

## Contemporary Adjustable Heavy Duty Shower Hinges Full Recessed Backplate



## Elegance Heavy Duty Shower Hinges Full Backplate - Square Corner



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
HSDDL037LCP		Polished Chrome
HSDDL037LBSN		Brushed Nickel
HSDDL037LUS10B		Oil Rubbed Bronze


Product	5 Degree	Finish
HSDDL037LCP-5C		Polished Chrome
HSDDL037LBSN-5C		Brushed Nickel
HSDDL037LUS10B-5C		Oil Rubbed Bronze

<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 36" 110 lbs</p>	<p>2 Hinges 36" 110 lbs</p>
<p>3 Hinges 36" 140 lbs</p>	<p>3 Hinges 36" 140 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Two Screw Heads</p>	<p>Two Screw Heads</p>
<p>Accessories</p>	

## Elegance Heavy Duty Square Corner Wall to Glass Shower Hinge Full Backplate



## Elegance Heavy Duty Shower Hinges Short Backplate - Square Corner



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
SHSDS037SCP		Polished Chrome
SHSDS037SBSN		Brushed Nickel
SHSDS037SUS10B		Oil Rubbed Bronze


Product	5 Degree	Finish
SHSDS037SCP-5C		Polished Chrome
SHSDS037SBSN-5C		Brushed Nickel
SHSDS037SUS10B-5C		Oil Rubbed Bronze

Tempered Glass 3/8"	Tempered Glass 1/2"
2 Hinges 34" 100 lbs	2 Hinges 32" 100 lbs
3 Hinges 34" 130 lbs	3 Hinges 32" 130 lbs
Opening 90°	Opening 90°
Two Screw Heads	Two Screw Heads
Accessories	

## Elegance Heavy Duty Square Corner Wall to Glass Shower Hinge Short Backplate



## Elegance Heavy Duty Glass to Glass 180° Shower Hinges - Square Corner




Finishes


### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm)  
Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates  
both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws,  
Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
HSHDL180LCP0		Polished Chrome
HSHDL180LBSNO		Brushed Nickel
HSHDL180LUS10B0		Oil Rubbed Bronze



## Elegance Heavy Duty Glass to Glass 180° Shower Hinges - Square Corner



## Luxe Heavy Duty Shower Hinges H Type - Full Backplate Beveled & Radius Corner



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates both mouse ears and square corner
- Supplied with both Phillips and Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
HSHDB037LCP		Polished Chrome
HSHDB037LBSN		Brushed Nickel
HSHDB037LUS10B		Oil Rubbed Bronze

<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 36" 110 lbs</p>	<p>2 Hinges 36" 110 lbs</p>
<p>3 Hinges 36" 140 lbs</p>	<p>3 Hinges 36" 140 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Two Screw Heads</p>	<p>Two Screw Heads</p>
<p>Accessories</p>	

### Luxe

## Heavy Duty Beveled Corner Wall to Glass Shower Hinge H Type Full Backplate



## Classic Shower Hinges Square Corner



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
M-037PC		Polished Chrome
M-037BSN-0C		Brushed Nickel
M-037ORB		Oil Rubbed Bronze


Product	5 Degree	Finish
M-037PC-5C		Polished Chrome
M-037BSN-5C		Brushed Nickel
M-037ORB-5C		Oil Rubbed Bronze

Tempered Glass 5/16" & 3/8"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
Opening 90°	Opening 90°
<p>Accessories</p>	

### Classic Square Corner Wall to Glass Shower Hinge



## Classic Shower Hinges Short Backplate



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
SHS037S-CP-0C		Polished Chrome
SHS037S-BN-0C		Brushed Nickel
SHS037S-US10B-0C		Oil Rubbed Bronze


Product	5 Degree	Finish
SHS037S-CP		Polished Chrome
SHS037S-BSN		Brushed Nickel
SHS037S-US10B		Oil Rubbed Bronze

Tempered Glass 5/16" & 3/8"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
Opening 90°	Opening 90°
Accessories	

### Classic Square Corner Wall to Glass Shower Hinge Short Backplate



## Classic Shower Hinges Offset Full Backplate



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
M-039PC-0		Polished Chrome
M-039BSN-0		Brushed Nickel
M-039US10B-0		Oil Rubbed Bronze

Product	5 Degree	Finish
M-039PC-5		Polished Chrome
M-039BSN-5		Brushed Nickel
M-039US10B-5		Oil Rubbed Bronze

Tempered Glass 5/16" & 3/8"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
Opening 90°	Opening 90°
Accessories 	



### Classic Square Corner Wall to Glass Shower Hinge Offset Full Backplate



# Classic Shower Hinges

## Glass to Glass 180 Degree

### Square Corner




#### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
SHS180CP0		Polished Chrome
SHS180BSN0		Brushed Nickel
SHS180US10B0		Oil Rubbed Bronze


Product	5 Degree	Finish
SHS180CP5		Polished Chrome
SHS180BN5		Brushed Nickel
SHS180US10B5		Oil Rubbed Bronze



#### Classic Square Corner Glass to Glass 180 Degree



## Classic Shower Hinges 135 Degree Glass to Glass



Finishes



### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.


Product	0 Degree	Finish
SHS135CPO		Polished Chrome
SHS135BSNO		Brushed Nickel
SHS135US10B0		Oil Rubbed Bronze

## Classic Square Corner Glass to Glass Shower Hinge 135° Glass To Glass

Tempered Glass 5/16" & 3/8"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
90° Opening	90° Opening
<p>Accessories</p>	



## Adjustable Classic Shower Hinges Square Corner



Finishes

### Classic Square Corner Wall to Glass Shower Hinge

<p>Tempered Glass 5/16" &amp; 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 28" 80 lbs</p>	<p>2 Hinges 28" 80 lbs</p>
<p>3 Hinges 32" 120 lbs</p>	<p>3 Hinges 32" 120 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Accessories</p>	

### Specifications:

- Solid Brass Drop Forged Construction
- Adjustable angled opening
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.


Adjustment set screws

The Rockwell Adjustable Classic Shower hinges allow you to adjust the shower door upon installation to any desired angle up to 90 degrees.

To adjust the door upon installation, use the supplied allen wrench and loosen the 2 set screws.



Swing the door to the desired angle closed position and tighten the set screws.

Product	Finish
M-237PC-0C	Polished Chrome
M-237BN-0C	Brushed Nickel



## Adjustable

### Silhouette Shower Hinges H Type Backplate



Finishes

#### Specifications:

- Solid Brass Drop Forged Construction
- Adjustable angle opening
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Adjustment set screws

The Rockwell Adjustable Classic Shower hinges allow you to adjust the shower door upon installation to any desired angle up to 90 degrees.

To adjust the door upon installation, use the supplied allen wrench and loosen the 2 set screws.

Swing the door to the desired angle closed position and tighten the set screws.


## Silhouette

### Beveled Corner Wall to Glass Shower Hinge H Type Backplate

<p>Tempered Glass</p> <p>5/16" &amp; 3/8"</p>	<p>Tempered Glass</p> <p>1/2"</p>
<p>2 Hinges</p> <p>28" 80 lbs</p>	<p>2 Hinges</p> <p>28" 80 lbs</p>
<p>3 Hinges</p> <p>32" 120 lbs</p>	<p>3 Hinges</p> <p>32" 120 lbs</p>
<p>Opening</p> <p>90°</p>	<p>Opening</p> <p>90°</p>
<p>Accessories</p>	

Product	Adjustable	Finish
---------	------------	--------

SHB237LCP		Polished Chrome
SHB237LBN		Brushed Nickel



## Non-Adjustable Silhouette Shower Hinges H Type Backplate



Finishes


### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- Stainless Steel Hardened Coil Springs and Pin
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Allen Key screw heads
- Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.

Product	0 Degree	Finish
SHB037L-CP-OC		Polished Chrome
SHB037L-BN-OC		Brushed Nickel

<p>Tempered Glass 3/8"</p>	<p>Tempered Glass 1/2"</p>
<p>2 Hinges 28" 80 lbs</p>	<p>2 Hinges 26" 80 lbs</p>
<p>3 Hinges 32" 120 lbs</p>	<p>3 Hinges 30" 120 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Accessories</p>	

### Silhouette Beveled Corner Wall to Glass Shower Hinge H Type Backplate



## Classic Junior Shower Hinges Full Backplate



Finishes

### Specifications:


- Solid Brass Drop Forged Construction
- Glass Thickness: 1/4" (6 mm) to 5/16" (8 mm) Tempered Glass
- Stainless Steel Pin preset at 0 degree or 5 degrees
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, template cut out dimensions.

Product	0 Degree	Finish
SJQL037CP0		Polished Chrome
SJQL037BSN0		Brushed Nickel
SJQL037US10B0		Oil Rubbed Bronze

Product	5 Degree	Finish
SJQL137CP5		Polished Chrome
SJQL137BSN5		Brushed Nickel
SJQL137US10B5		Oil Rubbed Bronze

## Classic JR Square Corner Wall to Glass Shower Hinge Full Backplate

<p>Tempered Glass 1/4"</p>	<p>Tempered Glass 5/16"</p>
<p>2 Hinges 28" 62 lbs</p>	<p>2 Hinges 28" 62 lbs</p>
<p>3 Hinges 32" 92 lbs</p>	<p>3 Hinges 32" 92 lbs</p>
<p>Opening 90°</p>	<p>Opening 90°</p>
<p>Accessories</p>	



## Classic Junior Shower Hinges Glass to Glass





Finishes

### Specifications:

- Solid Brass Drop Forged Construction
- Glass Thickness: 1/4" (6 mm) to 5/16" (8 mm) Tempered Glass
- Stainless Steel Pin preset at 0 degree or 5 degrees
- 90 Degree Opening angles
- Self centering within 15 degrees from closing position
- Industry standard fits typical glass cutout templates
- Supplied with Phillips screw heads
- Accessories - gaskets, Stainless steel mounting screws, template cut out dimensions.

Product	0 Degree	Finish
SJQ180CP0		Polished Chrome
SJQ180BSN0		Brushed Nickel
SJQ180US10B0		Oil Rubbed Bronze

## Classic JR Square Corner Glass to Glass Shower Hinge 180° Glass to Glass



## Mini Shower Hinge

Used for Jamb to Glass installations.  
 For Tempered Glass that is 1/4" thick  
 Size: 1-3/4" x 1-1/2"  
 Material: Aluminum  
 Glass Hole Required: 1"




Product	Finish
ALMHCP5	Polished Chrome
ALMHBN1	Brushed Nickel
ALMHUS10B	Oil Rubbed Bronze



Finishes

## Shower Door Magnet

2" or 3" T-Magnet for Shower Door Sleeves  
 Finish: Nickel Plated



Product	Length
SHMS05004	2"
SHMS05005	3"

## Shower Door Sleeve and Strike



SLEEVE	Finish
SHMS05001CP	Polished Chrome
SHMS05001BN	Brushed Nickel
SHMS05001US10B	Oil Rubbed Bronze

STRIKE	Finish
SHMS05003	Mill


Used for Wall to Glass installations.

For Tempered Glass that is 3/8" to 1/2" thick

Materials: Solid Brass

Glass Hole Required: 3/4"

Finishes




## Square 180° Glass to Glass Clamp

Suitable for Inline Panel Frameless Shower enclosure installations



Product	Finish
SDGQ180CP	Polished Chrome
SDGQ180BSN	Brushed Nickel
SDGQ180US10B	Oil Rubbed Bronze



Product	Finish
SDGQ2X5180CP	Polished Chrome
SDGQ2X5180BSN	Brushed Nickel
SDGQ2X5180US10B	Oil Rubbed Bronze

## Square 135° Glass to Glass Clamp


Suitable for Glass Panel Frameless Shower enclosure at 135° angle



Product	Finish
SDGQ135CP	Polished Chrome
SDGQ135BSN	Brushed Nickel
SDGQ135US10B	Oil Rubbed Bronze

## Square 90° Glass to Glass Clamp




Suitable for Glass Panel Frameless Shower enclosure at 90° angle



Product	Finish
SDGQ90CP	Polished Chrome
SDGQ90BSN	Brushed Nickel
SDGQ90US10B	Oil Rubbed Bronze

## Square Wall Mount Glass Clamp

Used for Wall to Glass installations.  
 For Tempered Glass that is 3/8" to 1/2" thick  
 Size: 2" x 2"  
 Materials: Solid Brass  
 Glass Hole Required: 5/16" to 3/4"




Product	Finish
SDGCSCP.1	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDGCSBSN.1	
SDGCSUS10B.1	



## Beveled Wall Mount Glass Clamp

Used for Wall to Glass installations.  
 For Tempered Glass that is 3/8" to 1/2" thick  
 Size: 2" x 2"  
 Materials: Solid Brass  
 Glass Hole Required: 1/2" to 3/4"  
 GAP: 5/32" (4mm) to 3/16" (5mm)



Product	Finish
SDCBCP	Polished Chrome Brushed Nickel Oil Rubbed Bronze
SDCBBSN	
SDCBUS10B	



## Solid Brass Notchless U Clamps - NO Glass Fabrication Fixed Panel Clamps

For Tempered Glass that is 3/8" or 1/4" thick  
Material: Solid Brass  
No Glass Hole Required



Finishes



### Bevelled U Clamp

Single Set Screw Type for Glass Thickness: 3/8"




Product	Finish
SBN10CP	Polished Chrome
SBN10BSN	Brushed Nickel
SBN10US10B	Oil Rubbed Bronze

### Square U Clamp

Single Set Screw Type for Glass Thickness: 1/4"



Product	Finish
SNC6CP	Polished Chrome
SNC6BSN	Brushed Nickel
SNC6US10B	Oil Rubbed Bronze



### Square U Clamp

Single Set Screw Type for Glass Thickness: 3/8"



Product	Finish
SQNC10CP	Polished Chrome
SQNC10BSN	Brushed Nickel
SQNC10US10B	Oil Rubbed Bronze

## Sleeve Over Glass Clamp


Material: Solid Brass

Finishes: Chrome, Brushed Nickel & Oil Rubbed Bronze

Glass Thickness: 5/16" - 1/2"

Includes: Gaskets & Mounting Screw

No Glass Fabrication required




### Left & Right Hand Wall Mount



Product	Handing	Finish
SDCOWCPL	LEFT HAND	Chrome
SDCOWBSNL	LEFT HAND	Brushed Nickel
SDCOWUS10BL	LEFT HAND	Oil Rubbed Bronze


Product	Handing	Finish
SDCOWCPR	RIGHT HAND	Chrome
SDCOWBSNR	RIGHT HAND	Brushed Nickel
SDCOWUS10BR	RIGHT HAND	Oil Rubbed Bronze



### 90 DEG Clamp




Product	Finish
SDC90CP.1	Chrome
SDC90BSN.1	Brushed Nickel
SDC90US10B.1	Oil Rubbed Bronze



### 135 DEG Clamp




Product	Finish
SDCO135CP	Chrome
SDCO135BSN	Brushed Nickel
SDCO135US10B	Oil Rubbed Bronze



## Specifications:

- Brass or Stainless Steel Tubing
- Tube Diameter: 3/4"
- Glass Thickness Range: 1/4" to 1/2"
- Cutout: 1/2" holes CTC 8" or 6"
- Finishes: Chrome, Brushed Nickel, Bronze



## Decorative Metal Washers

Product	Finish
MWPS-SS	Polished Chrome
MWBS-SS	Brushed Nickel
MWUS10B-SS	Oil Rubbed Bronze



Product	Finish
SDH-CR8-PS	Polished Chrome
SDH-CR8-BS	Brushed Nickel




Product	Finish
SDH6MCTPS	Polished Chrome
SDH6MCTBS	Brushed Nickel
SDH8MCTPS	Polished Chrome
SDH8MCTBS	Brushed Nickel
SDH8MCTUS10B	Oil Rubbed Bronze



Product	Finish
SDHQ8PS	Polished Chrome
SDHQ8BSL	Brushed Nickel
SDHQ8US10B	Oil Rubbed Bronze



Product	Finish
SDH3/4-6-PS	Polished Chrome
SDH3/4-6-BS	Brushed Nickel
SDH3/4-6-US10B	Oil Rubbed Bronze
SDH3/4-8-PS	Polished Chrome
SDH3/4-8-BS	Brushed Nickel
SDH3/4-8-US10B	Oil Rubbed Bronze





Product	OAL	Finish
SDHLP6PS	10"	Polished Chrome
SDHLP6BS	10"	Brushed Nickel
SDHLP8PS	12"	Polished Chrome
SDHLP8BS	12"	Brushed Nickel




### Specifications:

- Brass or Stainless Steel Tubing
- Diameter: 3/4"
- Glass Thickness Range: 1/4" to 1/2"
- Cutout: 1/2" holes
- Finishes: Chrome, Brushed Nickel, Bronze



### Rockwell Square Towel Bars Size: 18" to 28"


Product		Finish
SDPSQT18PS		Polished Chrome
SDPSQT18BS	18"	Brushed Nickel
SDPSQT18ORB		Oil Rubbed Bronze
SDPSQT20PS		Polished Chrome
SDPSQT20BS	20"	Brushed Nickel
SDPSQT20ORB		Oil Rubbed Bronze
SDPSQT22PS		Polished Chrome
SDPSQT22BS	22"	Brushed Nickel
SDPSQT22ORB		Oil Rubbed Bronze
SDPSQT24PS		Polished Chrome
SDPSQT24BS	24"	Brushed Nickel
SDPSQT24ORB		Oil Rubbed Bronze
SDPSQT26PS		Polished Chrome
SDPSQT26BS	26"	Brushed Nickel
SDPSQT26ORB		Oil Rubbed Bronze
SDPSQT28PS		Polished Chrome
SDPSQT28BS	28"	Brushed Nickel
SDPSQT28ORB		Oil Rubbed Bronze







### Specifications:

- Brass or Stainless Steel Tubing
- Diameter: 3/4"
- Glass Thickness Range: 1/4" to 1/2"
- Cutout: 1/2" holes
- Finishes: Chrome, Brushed Nickel, Bronze



### Rockwell Ladder Towel Bars Size: 18" to 28"


Product		Finish
SDPLPT18PS		Polished Chrome
SDPLPT18BS	18"	Brushed Nickel
SDPLPT18ORB		Oil Rubbed Bronze
SDPLPT20PS		Polished Chrome
SDPLPT20BS	20"	Brushed Nickel
SDPLPT20ORB		Oil Rubbed Bronze
SDPLPT22PS		Polished Chrome
SDPLPT22BS	22"	Brushed Nickel
SDPLPT22ORB		Oil Rubbed Bronze
SDPLPT24PS		Polished Chrome
SDPLPT24BS	24"	Brushed Nickel
SDPLPT24ORB		Oil Rubbed Bronze
SDPLPT26PS		Polished Chrome
SDPLPT26BS	26"	Brushed Nickel
SDPLPT26ORB		Oil Rubbed Bronze
SDPLPT28PS		Polished Chrome
SDPLPT28BS	28"	Brushed Nickel
SDPLPT28ORB		Oil Rubbed Bronze







### Specifications:

- Brass or Stainless Steel Tubing
- Diameter: 3/4"
- Glass Thickness Range: 1/4" to 1/2"
- Cutout: 1/2" holes
- Finishes: Chrome, Brushed Nickel, Bronze



### Rockwell Round Tubular Mitered Corner Towel Bars Size: 18" to 28"

Product		Finish
SDPMCT18PS		Polished Chrome
SDPMCT18BS	18"	Brushed Nickel
SDPMCT18ORB		Oil Rubbed Bronze
SDPMCT20PS		Polished Chrome
SDPMCT20BS	20"	Brushed Nickel
SDPMCT20ORB		Oil Rubbed Bronze
SDPMCT22PS		Polished Chrome
SDPMCT22BS	22"	Brushed Nickel
SDPMCT22ORB		Oil Rubbed Bronze
SDPMCT24PS		Polished Chrome
SDPMCT24BS	24"	Brushed Nickel
SDPMCT24ORB		Oil Rubbed Bronze
SDPMCT26PS		Polished Chrome
SDPMCT26BS	26"	Brushed Nickel
SDPMCT26ORB		Oil Rubbed Bronze
SDPMCT28PS		Polished Chrome
SDPMCT28BS	28"	Brushed Nickel
SDPMCT28ORB		Oil Rubbed Bronze





### Specifications:

- Brass or Stainless Steel Tubing
- Tube Diameter: 3/4"
- Glass Thickness Range: 1/4" to 1/2"
- Cutout: 1/2" holes
- Finishes: Chrome, Brushed Nickel, Bronze



### Rockwell Classic Towel Bars Size: 18" to 28"

Product		Finish
SDP3/4-18-PS		Polished Chrome
SDP3/4-18-BS	18"	Brushed Nickel
SDP3/4-18-ORB		Oil Rubbed Bronze
SDP3/4-20-PS		Polished Chrome
SDP3/4-20-BS	20"	Brushed Nickel
SDP3/4-20-ORB		Oil Rubbed Bronze
SDP3/4-22-PS		Polished Chrome
SDP3/4-22-BS	22"	Brushed Nickel
SDP3/4-22-ORB		Oil Rubbed Bronze
SDP3/4-24-PS		Polished Chrome
SDP3/4-24-BS	24"	Brushed Nickel
SDP3/4-24-ORB		Oil Rubbed Bronze
SDP3/4-26-PS		Polished Chrome
SDP3/4-26-BS	26"	Brushed Nickel
SDP3/4-26-ORB		Oil Rubbed Bronze
SDP3/4-27-PS		Polished Chrome
SDP3/4-27-BS	27"	Brushed Nickel
SDP3/4-27-ORB		Oil Rubbed Bronze
SDP3/4-28-PS		Polished Chrome
SDP3/4-28-BS	28"	Brushed Nickel
SDP3/4-28-ORB		Oil Rubbed Bronze



### Rockwell Classic Towel Bar COMBO Size: 18" and 24"

Product		Finish
SDTB3/4-6x18-PS		Polished Chrome
SDTB3/4-6x18-BS	6x18"	Brushed Nickel
SDTB3/4-6x18-ORB		Oil Rubbed Bronze
SDTB3/4-6x24-PS		Polished Chrome
SDTB3/4-6x24-BS	6x24"	Brushed Nickel
SDTB3/4-6x24-ORB		Oil Rubbed Bronze
SDTB3/4-8x18-PS		Polished Chrome
SDTB3/4-8x18-BS	8x18"	Brushed Nickel
SDTB3/4-8x18-ORB		Oil Rubbed Bronze
SDTB3/4-8x24-PS		Polished Chrome
SDTB3/4-8x24-BS	8x24"	Brushed Nickel
SDTB3/4-8x24-ORB		Oil Rubbed Bronze



## Finger Pull Knob

1-1/4" Diameter  
For Bypass Sliding Doors  
Hole Diameter: 1/2"



Product	Finish
RS-7470	Polished Chrome
RS-7479	Brushed Nickel
RS-747R	Oil Rubbed Bronze

## Finger Pull Knob for Towel Bar

1.05" Diameter  
For Bypass Sliding  
Doors  
Hole Diameter:  
7/8" or 11/16"



Product	Finish
RS-7590	Polished Chrome
RS-7599	Brushed Nickel
RS-759R	Oil Rubbed Bronze

## Single Side Knob

3/4" Diameter  
For Bypass Sliding Doors  
Hole Diameter: 1/2"



Knob	Finish
SDK03x1-CP	Polished Chrome
SDK03x1-BN	Brushed Nickel
SDK03x1-US10B	Oil Rubbed Bronze

## Specifications:

- Glass Thickness Range: 1/4" to 1/2"

The Shower Door Knob is made of Solid Brass and is ideal for standard frameless swinging or sliding doors.

## Finger Pull for Towel Bar

1-1/4" Diameter  
For Bypass Sliding Doors  
Hole Diameter: 1/2"



Product	Finish
RS-7490	Polished Chrome
RS-7499	Brushed Nickel
RS-749R	Oil Rubbed Bronze

## Double Side Knob with Cushion

3/4" Diameter on Side with Cushion for  
Bypass Sliding Doors  
Hole Diameter: 1/2"




Knob	Finish
SKDS03x2-CP	Polished Chrome
SKDS03x2-BN	Brushed Nickel
SKDS03x2-US10B	Oil Rubbed Bronze



### Specifications:

- Clear Polycarbonates, Vinyl Seals and Edge Wipes
- Available in 1/4" (6mm) and 3/8" (10mm) Glass Sizes


### Dual Seal and Wipe



This Seal and Wipe has two uses: Installed on the door bottom the soft acts as a wipe; If installed on the overlapping bi-fold door the soft lip acts as a seal.

Product Code	Length	Glass Size
EW06DD-98	98"	1/4" (6mm)
EW10DD-98	98"	3/8" (10mm)


### Clear Bottom Wipe with Drip Rail



The Clear Bottom Wipe with Drip Rail is installed on the bottom of door. Soft wipes on the bottom provide a tight seal 45°

Product Code	Length	Glass Size
EW06WS-98	98"	1/4" Extended Wing
EW10WS-98	98"	3/8" Extended Wing


### "L" Jamb Seal



This is for use on both hinge and strike side seal for frameless shower applications. Also used on neo-angle glass shower panel as strike jamb.

Product Code	Length	Glass Size
EWSJL98	98"	1/2" (12mm)


### "H" Jamb Seal



The "H" jamb is for use on 180° inline glass applications. Installed onto the fixed glass panel with the lip positioned on the strike side, or onto the door with the lip positioned on the hinge side.

Product Code	Length	Glass Size
EW10HJ-98	98"	3/8" (10mm)

### "Y" Inline Panel Seal



The "Y" inline panel is for use on 180° inline glass applications. It is installed onto the fixed panel with the lip on the strike side.

Product Code	Length	Glass Size
EW10YJ-98	98"	3/8" (10mm)



**ROCKWELL SECURITY INC.**

[www.rockwellsecurityinc.com](http://www.rockwellsecurityinc.com)

Tel: (510) 270 5633 Fax: (309) 276 2680