



SHOWER DOOR HARDWARE

www.rockwellsecurityinc.com



Index

Shower Door Hinges	1~18
Shower Door Mini Hinges & Glass Clamps	19~23
Shower Door Pull Handles	24~25
Shower Door Towel Bars	26~27
Shower Door Knobs & Finger Pulls	28
Shower Door Polycarbonates	29

- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

MV037CP0
MV037BSN0
MV037US10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

MV037CP5
MV037BSN5
MV037US10B5

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK









0 DEGREE

MQ2039CP0
MQ2039BN0
MQ2039US10B0


FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Adjustable
- ✓ Offset



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm)
Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws,
Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

HDABHCP0
HDABHBSN0
HDABHUS10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK


- ✓ Full backplate H Type
- ✓ Adjustable
- ✓ Beveled & Radius Corner
- ✓ Wall to Glass

The Rockwell Adjustable Shower hinges allow you to adjust the shower door upon installation to any desired angle up to 90 degrees.


To adjust the door upon installation, use the supplied allen wrench and loosen the 2 set screws.

Swing the door to the desired angle closed position and tighten the set screws.

Tempered Glass 3/8"	Tempered Glass 1/2"
2 Hinges 36" 110 lbs	2 Hinges 36" 110 lbs
3 Hinges 36" 140 lbs	3 Hinges 36" 140 lbs
Opening 90°	Opening 90°
Two Screw Heads	Two Screw Heads
Accessories	



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

HSHDL037LCP
HSHDL037LBSN
HSHDL037LUS10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

HSHDL037LCP-5C
HSHDL037LBSN-5C
HSHDL037LUS10B-5C


FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Square Corner



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

HSHDS037SCP
HSHDS037SBSN
HSHDS037SUS10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

HSHDS037SCP-5C
HSHDS037SBSN-5C
HSHDS037SUS10B-5C

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Short backplate
- ✓ Square Corner
- ✓ Wall to Glass



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 3/8" (10mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED CHROME



BRUSHED NICKEL



MATTE BLACK

0 DEGREE

HSHDL180LCP0
HSHDL180LBSN0
HSHDL180LUS10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK









5 DEGREE

HSHDL180LCP5
HSHDL180LBSN5
HSHDL180LUS10B5

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Square Corner
- ✓ Glass to Glass



-
- A chrome-plated stainless steel door handle is shown against a background of a modern interior with a window and a glass door. The handle has a sleek, rectangular design with a central grip. Four dimensions are indicated with blue lines and text: 2-1/8" for the top width, 1-1/2" for the top depth, 3-15/16" for the total height, and 3-3/16" for the grip height.




■

MATTE
BLACK


FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

-



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED CHROME



BRUSHED NICKEL



MATTE BLACK

0 DEGREE

M-037PC
M-037BSN-0C
M-037ORB

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK






5 DEGREE

M-037PC-5C
M-037BSN-5C
M-037ORB-5C

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Square Corner
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

SHS037S-CP-OC
SHS037S-BSN-OC
SHS037S-US10B-OC

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

SHS037S-CP
SHS037S-BSN
SHS037S-US10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Short backplate
- ✓ Wall to Glass
- ✓ Square Corner
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

M-039PC-0
M-039BSN-0
M-039US10B-0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

M-039PC-5
M-039BSN-5
M-039US10B-5

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Square Corner
- ✓ Standard Duty Offset



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

SHS180CP0
SHS180BSN0
SHS180US10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK









5 DEGREE

SHS180CP5
SHS180BN5
SHS180US10B5

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ 180 Degree
- ✓ Glass to Glass
- ✓ Square Corner
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK









0 DEGREE

SHS135CP0
SHS135BSN0
SHS135US10B0


FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ 135 Degree
- ✓ Glass to Glass
- ✓ Square Corner
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm)
Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws,
Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL


0 DEGREE

M-237PC-OC
M-237BN-OC

FINISH


POLISHED CHROME
BRUSHED NICKEL

- ✓ Standard Duty
- ✓ Square Corner
- ✓ Adjustable
- ✓ Wall to Glass



Tempered Glass 5/16"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
Opening 90°	Opening 90°
Two Screw Heads	Two Screw Heads
Accessories	

- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm)
Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
both mouse ears and square corner
- ✓ Supplied with both Phillips and Allen Key screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws,
Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL


0 DEGREE

SHB237LCP
SHB237LBN

FINISH

POLISHED CHROME
BRUSHED NICKEL

- ✓ Standard Duty
- ✓ Adjustable
- ✓ Beveled & Radius Corner
- ✓ Wall to Glass



Tempered Glass 5/16"	Tempered Glass 1/2"
2 Hinges 28" 80 lbs	2 Hinges 28" 80 lbs
3 Hinges 32" 120 lbs	3 Hinges 32" 120 lbs
Opening 90°	Opening 90°
Two Screw Heads	Two Screw Heads
Accessories	

- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK








0 DEGREE

SHB037L-CP-OC
SHB037L-BN-OC
SHB037L-US10B-OC


FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ H Type backplate
- ✓ Beveled & Radius Corner
- ✓ Wall to Glass
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 5/16" (8mm) to 1/2" (12mm) Tempered Glass
- ✓ Stainless Steel Hardened Coil Springs and Pin
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with both Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, Allen wrench, template cut out dimensions.




FINISH OPTIONS



POLISHED CHROME



BRUSHED NICKEL



MATTE BLACK








0 DEGREE

SEE037CP0
SEE037BSN0
SEE037US10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Square Corner
- ✓ Standard Duty



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 1/4" (6mm) or 5/16" (8mm) Tempered Glass
- ✓ Stainless Steel Pin preset at 0 degree or 5 degrees
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

0 DEGREE

SJQL037CP0
SJQL037BSN0
SJQL037US10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK








5 DEGREE

SJQL137CP5
SJQL137BSN5
SJQL137US10B5

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

- ✓ Full backplate
- ✓ Wall to Glass
- ✓ Square Corner
- ✓ Fits 1/4" & 5/16" Glass



- ✓ Solid Brass Drop Forged Construction
- ✓ Glass Thickness: 1/4" (6mm) or 5/16" (8mm)
Tempered Glass
- ✓ Stainless Steel Pin preset at 0 degree or 5 degrees
- ✓ 90 Degree Opening angles
- ✓ Self centering within 15 degrees from closing position
- ✓ Industry standard fits typical glass cutout templates
- ✓ Supplied with Phillips screw heads
- ✓ Accessories - gaskets, Stainless steel mounting screws, template cut out dimensions.




FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK









0 DEGREE

SJQ180CP0
SJQ180BSN0
SJQ180US10B0

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK


- ✓ 180 Degree
- ✓ Glass to Glass
- ✓ Square Corner
- ✓ Fits 1/4" & 5/16" Glass




Mini Shower Hinge

- ✓ Used for Jamb to Glass installations.
- ✓ For Tempered Glass that is 1/4" thick
- ✓ Size: 1-3/4" x 1-1/2"
- ✓ Material: Aluminum
- ✓ Glass Hole Required: 1" Diameter
- ✓ Using 2 Hinges will hold up to 60 lbs

FINISH OPTIONS




Product Number	FINISH
ALMHCP5	POLISHED CHROME
ALMHBN1	BRUSHED NICKEL
ALMHUS10B	MATTE BLACK



Shower Door Magnet

- ✓ 2" or 3" T-Magnet for Shower Door Sleeves
- ✓ Finish: Nickel Plated



Product Number	FINISH
SHMS05004	2"
SHMS05005	3"

Shower Door Sleeve and Strike

- ✓ Material: Aluminum
- ✓ Finish: Chrome, Brushed Nickel & Matte Black



Sleeve	FINISH
SHMS05001CP	POLISHED CHROME
SHMS05001BN	BRUSHED NICKEL
SHMS05001EDB	MATTE BLACK

Strike	FINISH
SHMS05003	MILL

- ✓ Used for Glass to Glass installations
- ✓ For Tempered Glass that is 3/8" to 1/2" thick
- ✓ Material: Solid Brass
- ✓ Glass Hole Required: 3/4"



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL




MATTE
BLACK

Square 180° Glass to Glass Clamp

Suitable for Inline Panel Frameless Shower enclosure installations




Product	FINISH
SDG2Q180CP	POLISHED CHROME
SDG2Q180BSN	BRUSHED NICKEL
SDG2Q180US10B	MATTE BLACK



Product	FINISH
SDGQ2X5180CP	POLISHED CHROME
SDGQ2X5180BSN	BRUSHED NICKEL
SDGQ2X5180US10B	MATTE BLACK

Square 135° Glass to Glass Clamp


Suitable for Glass Panel Frameless Shower enclosure at 135° angle



Product	FINISH
SDGQ135CP	POLISHED CHROME
SDGQ135BSN	BRUSHED NICKEL
SDGQ135US10B	MATTE BLACK

Square 90° Glass to Glass Clamp

Suitable for Glass Panel Frameless Shower enclosure at 90° angle



Product	FINISH
SDGQ90CP	POLISHED CHROME
SDGQ90BSN	BRUSHED NICKEL
SDGQ90US10B	MATTE BLACK

Square Wall Mount Glass Clamp

- ✓ Used for Jamb to Glass installations.
- ✓ For Tempered Glass that is 3/8" to 1/2" thick
- ✓ Size: 2" x 2"
- ✓ Materials: Solid Brass
- ✓ Glass Hole Required: 5/8" or 3/4"
- ✓ Supplied with Phillips screw heads

FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL





MATTE
BLACK



Product Number

FINISH

SDGCSCP .1	POLISHED CHROME
SDGCSBSN.1	BRUSHED NICKEL
SDGCSUS10B.1	MATTE BLACK



Beveled Wall Mount Glass Clamp

- ✓ Used for Wall to Glass installations.
- ✓ For Tempered Glass that is 3/8" to 1/2" thick
- ✓ Size: 2" x 2"
- ✓ Materials: Solid Brass
- ✓ Glass Hole Required: 5/8" or 3/4"
- ✓ Supplied with Phillips screw heads

FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL




MATTE
BLACK



Product Number

FINISH

SDCBCP	POLISHED CHROME
SDCBBSN	BRUSHED NICKEL
SDCBUS10B	MATTE BLACK



Solid Brass Notchless U Clamps - NO Glass Fabrication Fixed Panel Clamps

- ✓ For Tempered Glass that is 3/8" to 1/4" thick
- ✓ Material: Solid Brass
- ✓ No Glass Hole Required



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

Beveled U Clamp

Single Set Screw Type for Glass Thickness: 3/8"



Product

SBN10CP
SBN10BSN
SBN10US10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

Square U Clamp

Single Set Screw Type for Glass Thickness: 1/4"




Product

SNC6CP
SNC6BSN
SNC6US10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK



Square U Clamp

Single Set Screw Type for Glass Thickness: 3/8"



Product


SQNC10CP
SQNC10BSN
SQNC10US10B

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK

Sleeve Over Glass Clamp

- ✓ For Tempered Glass that is 5/16" to 1/2" thick
- ✓ Material: Solid Brass
- ✓ No Glass Fabrication Required



FINISH OPTIONS



POLISHED
CHROME



BRUSHED
NICKEL



MATTE
BLACK

90 DEG Clamp




Product

SDC90CP.1
SDC90BSN.1
SDC90US10B.A

FINISH

POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK



Left & Right Hand Wall Mount



Product

Left Hand

FINISH


SDCOWCPL POLISHED CHROME
SDCOWBSNL BRUSHED NICKEL
SDCOWUS10BL MATTE BLACK

Product

Right Hand

FINISH

SDCOWCPR POLISHED CHROME
SDCOWBSNR BRUSHED NICKEL
SDCOWUS10BR MATTE BLACK



135 DEG Clamp




Product

SDCO135CP
SDCO135BSN
SDCO135US10B

FINISH


POLISHED CHROME
BRUSHED NICKEL
MATTE BLACK



- ✓ Stainless Steel Tubing
- ✓ Tube Diameter: 3/4"
- ✓ Glass Thickness Range: 1/4" to 1/2"
- ✓ Cutout: 1/2" holes CTC 8" or 6"



FINISH OPTIONS



Rockwell Contemporary
Square Back
to Back Pulls
Size: 6" or 8"



Product	CTC 6"	FINISH
SDHQ6PS		POLISHED CHROME
SDHQ6BSL		BRUSHED NICKEL

Product	CTC 8"	FINISH
SDHQ8PS		POLISHED CHROME
SDHQ8BSL		BRUSHED NICKEL
SDHQ8US10B		MATTE BLACK

Rockwell Classic
Back to Back Pulls
Size: 6" or 8"



Product	CTC 6"	FINISH
SDH3/4-6-PS		POLISHED CHROME
SDH3/4-6-BS		BRUSHED NICKEL
SDH3/4-6-US10B		MATTE BLACK

Product	CTC 8"	FINISH
SDH3/4-8-PS		POLISHED CHROME
SDH3/4-8-BS		BRUSHED NICKEL
SDH3/4-8-US10B		MATTE BLACK

Rockwell Ladder Type
Back to Back Pulls
Size: 6" or 8"




Product	CTC 6" / OAL 10"	FINISH
SDHLP6PS		POLISHED CHROME
SDHLP6BS		BRUSHED NICKEL
SDHLP6US10B		MATTE BLACK

Product	CTC 8" / OAL 12"	FINISH
SDHLP8PS		POLISHED CHROME
SDHLP8BS		BRUSHED NICKEL
SDHLP8US10B		MATTE BLACK

- ✓ Stainless Steel Tubing
- ✓ Tube Diameter: 3/4"
- ✓ Glass Thickness Range: 1/4" to 1/2"
- ✓ Cutout: 1/2" holes CTC 8" or 6"



FINISH OPTIONS



Decorative Metal Washers



Product	FINISH
MWPS-SS	POLISHED CHROME
MWBS-SS	BRUSHED NICKEL
MWUS10B-SS	MATTE BLACK

Rockwell Crescent Back to Back Pulls Size: 8"



Product	CTC 8"	FINISH
SDH-CR8-PS		POLISHED CHROME
SDH-CR8-BS		BRUSHED NICKEL

Rockwell Mitered Corner Back to Back Pulls Size: 6" or 8"



Product	CTC 6"	FINISH
SDH6MCTPS		POLISHED CHROME
SDH6MCTBS		BRUSHED NICKEL

Product	CTC 8"	FINISH
SDH8MCTPS		POLISHED CHROME
SDH8MCTBS		BRUSHED NICKEL
SDH8MCTUS10B		MATTE BLACK

Rockwell Classic Single Sided Pull Size: 6" or 8"




Product	CTC 6"	FINISH
SDP3/4-6-PS		POLISHED CHROME
SDP3/4-6-BS		BRUSHED NICKEL
SDP3/4-6-US10B		MATTE BLACK

Product	CTC 8"	FINISH
SDP3/4-8-PS		POLISHED CHROME
SDP3/4-8-BS		BRUSHED NICKEL
SDP3/4-8-US10B		MATTE BLACK

- ✓ Stainless Steel Tubing
- ✓ Tube Diameter: 3/4"
- ✓ Glass Thickness Range: 1/4" to 1/2"
- ✓ Cutout: 1/2" holes




FINISH OPTIONS



Rockwell Square

Towel Bars

Size: 18" & 24"




Product	OAL 18"	FINISH
SDPSQT18PS		POLISHED CHROME
SDPSQT18BS		BRUSHED NICKEL
SDPSQT18US10B		MATTE BLACK

Product	OAL 24"	FINISH
SDPSQT24PS		POLISHED CHROME
SDPSQT24BS		BRUSHED NICKEL
SDPSQT24US10B		MATTE BLACK

Rockwell Ladder

Towel Bars

Size: 18" & 24"




Product	OAL 18"	FINISH
SDPLPT18PS		POLISHED CHROME
SDPLPT18BS		BRUSHED NICKEL
SDPLPT18US10B		MATTE BLACK

Product	OAL 24"	FINISH
SDPLPT24PS		POLISHED CHROME
SDPLPT24BS		BRUSHED NICKEL
SDPLPT24US10B		MATTE BLACK

Rockwell Round Tubular

Mitered Corner Towel Bars

Size: 18" & 24"




Product	OAL 18"	FINISH
SDPMCT18PS		POLISHED CHROME
SDPMCT18BS		BRUSHED NICKEL
SDPMCT18US10B		MATTE BLACK

Product	OAL 24"	FINISH
SDPMCT24PS		POLISHED CHROME
SDPMCT24BS		BRUSHED NICKEL
SDPMCT24US10B		MATTE BLACK

- ✓ Stainless Steel Tubing
- ✓ Tube Diameter: 3/4"
- ✓ Glass Thickness Range: 1/4" to 1/2"
- ✓ Cutout: 1/2" holes



FINISH OPTIONS



Rockwell Classic Towel Bars COMBO

Size: 18" & 24"



Product	6x18"	FINISH
SDTB3/4-6X18-PS		POLISHED CHROME
SDTB3/4-6X18-BS		BRUSHED NICKEL
SDTB3/4-6X18-US10B		MATTE BLACK

Product	6x24"	FINISH
SDTB3/4-6X24-PS		POLISHED CHROME
SDTB3/4-6X24-BS		BRUSHED NICKEL
SDTB3/4-6X24-US10B		MATTE BLACK

Product	8x18"	FINISH
SDTB3/4-8X18-PS		POLISHED CHROME
SDTB3/4-8X18-BS		BRUSHED NICKEL
SDTB3/4-8X18-US10B		MATTE BLACK

Product	8x24"	FINISH
SDTB3/4-8X24-PS		POLISHED CHROME
SDTB3/4-8X24-BS		BRUSHED NICKEL
SDTB3/4-8X24-US10B		MATTE BLACK

Rockwell Classic Towel Bars

Size: 18" ~ 28"



Product	OAL 18"	FINISH
SDP3/4-18-PS		POLISHED CHROME
SDP3/4-18-BS		BRUSHED NICKEL
SDP3/4-18-US10B		MATTE BLACK

Product	OAL 20"	FINISH
SDP3/4-20-PS		POLISHED CHROME
SDP3/4-20-BS		BRUSHED NICKEL
SDP3/4-20-US10B		MATTE BLACK

Product	OAL 22"	FINISH
SDP3/4-22-PS		POLISHED CHROME
SDP3/4-22-BS		BRUSHED NICKEL
SDP3/4-22-US10B		MATTE BLACK

Product	OAL 24"	FINISH
SDP3/4-24-PS		POLISHED CHROME
SDP3/4-24-BSS		BRUSHED NICKEL
SDP3/4-24-US10B		MATTE BLACK

Product	OAL 26"	FINISH
SDP3/4-26-PS		POLISHED CHROME
SDP3/4-26-BS		BRUSHED NICKEL
SDP3/4-26-US10B		MATTE BLACK


Product	OAL 27"	FINISH
SDP3/4-27-PS		POLISHED CHROME
SDP3/4-27-BS		BRUSHED NICKEL
SDP3/4-27-US10B		MATTE BLACK

Product	OAL 28"	FINISH
SDP3/4-28-PS		POLISHED CHROME
SDP3/4-28-BS		BRUSHED NICKEL
SDP3/4-28-US10B		MATTE BLACK

The Shower Door Knob is made of Solid Brass and is ideal for standard frameless swinging or sliding doors.

- ✓ Glass Thickness Range: 1/4" to 1/2"
- ✓ Material: Brass

FINISH OPTIONS



Finger Pull Knob

1-1/4" Diameter
For Bypass Sliding Doors
Hole Diameter: 1/2"



Product	FINISH
11-7470	POLISHED CHROME
11-7479	BRUSHED NICKEL
11-747US10B	MATTE BLACK

Single Side Knob

3/4" Diameter
For Bypass Sliding Doors
Hole Diameter: 1/2"



Product	FINISH
SDK03X1-CP	POLISHED CHROME
SDK03X1-BN	BRUSHED NICKEL
SDK03X1-US10B	MATTE BLACK

Finger Pull for Towel Bar

1-1/4" Diameter
For Bypass Sliding Doors
Hole Diameter: 1/2"



Product	FINISH
11-7490	POLISHED CHROME
11-7499	BRUSHED NICKEL
11-7497	MATTE BLACK

Double Side Knob with Cushion

3/4" Diameter on Side with Cushion for Bypass Sliding Doors
Hole Diameter: 1/2"



Product	FINISH
SDKS03X2-CP	POLISHED CHROME
SDKS03X2-BN	BRUSHED NICKEL
SDKS03X2-US10B	MATTE BLACK

Finger Pull Knob for Towel Bar

1.05" Diameter
For Bypass Sliding Doors
Hole Diameter: 7/8" or 11/16"






Product	FINISH
RS11-8490	POLISHED CHROME
RS11-8499	BRUSHED NICKEL

- ✓ Clear Polycarbonates, Vinyl Seals and Edge Wipes
- ✓ Available in 1/4" (6mm) and 3/8" (10mm) Glass Sizes



Dual Seal and Wipe


This Seal and Wipe has two uses: Installed on the door bottom the soft acts as a wipe; If installed on the overlapping bi-fold door the soft lip acts as a seal.



Product	Length	Glass Size
EW06DD-98	98"	1/4" (6mm)
EW10DD-98	98"	3/8" (10mm)

"H" Jamb Seal



The "H" jamb is for use on 180° inline glass applications. Installed onto the fixed glass panel with the lip positioned on the strike side, or onto the door with the lip positioned on the hinge side.



Product	Length	Glass Size
EW10HJ-98	98"	3/8" (10mm)

Clear Bottom Wipe with Drip Rail



The Clear Bottom Wipe with Drip Rail is installed on the bottom of door. Soft wipes on the bottom provide a tight seal 45°



Product	Length	Glass Size
EW06WS-98	98"	1/4" (Extended Wing)
EW10WS-98	98"	3/8" (Extended Wing)

"Y" Inline Panel Seal



The "Y" inline panel is for use on 180° inline glass applications. It is installed onto the fixed panel with the lip on the strike side.



Product	Length	Glass Size
EW10YJ-98	98"	3/8" (10mm)

"L" Jamb Seal

This is for use on both hinge and strike side seal for frameless shower applications. Also used on neo-angle glass shower panel as strike jamb.



Product	Length	Glass Size
EWSJL98	98"	1/2" (12mm)



ROCKWELL SECURITY INC.

www.rockwellsecurityinc.com

Tel: (510) 270 5633 Fax: (309) 276 2680

